

SAFETY DATA SHEET

Issuing Date 20-Oct-2014	Revision Date 20-Oct-2014 Revision Number 0			
1. IDENTIFICATION OF TH	E SUBSTANCE/PREPARATION AND) THE COMPANY/UNDERTAKING		
GHS product identifier				
Product Name	Suredot Water Metering Roller Cleaner			
Other means of identification				
Product Code(s)	4-1249, 4-1249-5, 4-1249-55			
Synonyms	None			
Recommended use of the chemical	and restrictions on use			
Recommended Use	Offset printing			
Uses advised against	No information available			
Supplier's details				
Supplier Address Mark Andy, Inc. 18081 Chesterfield Airport Rd. Chesterfield, MO 63005 TEL: 636-532-4433				
Emergency telephone number				
Emergency Telephone Number	Chemtrec 1-800-424-9300			
2. HAZARDS IDENTIFICATION				
Classification				
This chemical is considered hazardous	This chemical is considered hazardous according to the OSHA Hazard Communication Standard 2012 (29 CFR 1910.1200)			
Acute Oral Toxicity		Category 4		
Acute Inhalation Toxicity - Dusts and I	Mists	Category 4		


Acute Inhalation Toxicity - Dusts and Mists	Category 4
Skin Corrosion/Irritation	Category 2
Serious Eye Damage/Eye Irritation	Category 2
Skin Sensitization	Category 1
Aspiration Toxicity	Category 1
Flammable liquids	Category 3

GHS Label elements, including precautionary statements

Emergency Overview

Signal Word

Danger



Precautionary Statements

Prevention

- · Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- · Wash face, hands and any exposed skin thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- · Contaminated work clothing should not be allowed out of the workplace.
- Keep away from heat/sparks/open flames/hot surfaces No smoking.
- · Keep container tightly closed.
- · Ground/bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Wear protective gloves/protective clothing/eye protection/face protection.

General Advice

· Specific treatment (see supplemental first aid instructions on this label)

Eyes

• IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

• If eye irritation persists: Get medical advice/attention.

Skin

- If skin irritation or rash occurs: Get medical advice/attention.
- Wash contaminated clothing before reuse.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Inhalation

- IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- · Call a POISON CENTER or doctor/physician if you feel unwell.

Ingestion

- Rinse mouth.
- IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- Do NOT induce vomiting.

Fire

• In case of fire: Use CO2, dry chemical, or foam for extinction.

Storage

- Store locked up.
- Store in a well-ventilated place. Keep cool.

Disposal

· Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

Other information

Toxic to aquatic life with long lasting effects

0.3545% of the mixture consists of ingredient(s) of unknown toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade secret
2-Butoxyethanol	111-76-2	30-60	*
Petroleum distillates, hydrotreated light	64742-47-8	15-40	*
D-Limonene	5989-27-5	5-10	*
Sodium dioctyl sulfosuccinate	577-11-7	1-5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of necessary first-aid measures

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
Ingestion	Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician. Aspiration hazard if swallowed - can enter lungs and cause damage. Aspiration may cause pulmonary edema and pneumonitis

Most important symptoms/effects, acute and delayed

Most Important Symptoms/Effects No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

None. Yes.

Suitable Extinguishing Media

Foam. Carbon dioxide (CO₂). Dry chemical. Water spray.

Unsuitable Extinguishing Media No information available.

Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back.

Explosion Data	
Sensitivity to Mechanical Impact	
Sensitivity to Static Discharge	

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions, protective	equipment and emergency procedures		
Personal Precautions	Remove all sources of ignition. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.		
Environmental Precautions			
Environmental Precautions	See Section 12 for additional Ecological Information. Prevent product from entering drains.		
Methods and materials for contai	nment and cleaning up		
Methods for Containment	Prevent further leakage or spillage if safe to do so.		
Methods for Cleaning Up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Handling	Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Do not take internally. Wash thoroughly after handling.		
Conditions for safe storage, including any incompatibilities			
Storage	Keep tightly closed in a dry and cool place. Keep away from open flames, hot surfaces and sources of ignition. Keep container closed when not in use.		
Incompatible Products	Strong oxidizing agents. Acids. Alkalis. Ammonia. Amines. Chlorine. Sodium hydroxide		

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 5 mg/m³ STEL: 10 mg/m³ (as oil mist)	TWA: 5 mg/m³ (as oil mist)	_

Appropriate engineering controls

Engineering Measures

Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection	Chemical splash goggles.
Skin and Body Protection	Impervious gloves.

Respiratory Protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid Sweet Neebthe	Appearance Odor Threshold	Clear
Odor	Sweet Naphtha	Odor Threshold	No information available
Property_	Values	Remarks/ - Me	ethod
pH	Not applicable	None known	
Melting Point/Range	Not applicable	None known	
Boiling Point/Boiling Range	212-355 °F	None known	
Flash Point	107 °F	None known	
Evaporation rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limits in Air			
upper flammability limit	No data available		
lower flammability limit	No data available		
Vapor Pressure	No data available	None known	
Vapor Density	No data available	None known	
Specific Gravity	0.851	None known	
Water Solubility	Insoluble in water.	None known	
Solubility in other solvents	No data available	None known	
Partition coefficient: n-octane		None known	
Autoignition Temperature	No data available	None known	
Decomposition Temperature		None known	
Viscosity	No data available	None known	
Flammable Properties	Not flammable		
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other information			
VOC Content (%) Actual VOC (Ib/gal)	No data available 7.1		

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Heat, flames and sparks. Incompatible products.

Incompatible materials

Strong oxidizing agents. Acids. Alkalis. Ammonia. Amines. Chlorine. Sodium hydroxide

Hazardous decomposition products

Carbon monoxide (CO). Carbon dioxide (CO₂). Smoke

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	
Inhalation	Harmful by inhalation.
Eye Contact	Causes serious eye irritation.
Skin Contact	Causes skin irritation Prolonged skin contact may defat the skin and produce dermatitis.
	May cause allergic skin reaction
Ingestion	Harmful if swallowed. Potential for aspiration if swallowed. Aspiration may cause pulmonary edema and pneumonitis.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Butoxyethanol	= 470 mg/kg (Rat)	= 400 mg/kg (Rabbit) = 2270 mg/kg (Rat)	= 2.21 mg/L (Rat)4 h = 450 ppm (Rat)4 h
Petroleum distillates, hydrotreated light	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 5.2 mg/L (Rat)4 h
Sodium dioctyl sulfosuccinate	1900 mg/kg (Rat)	10000 mg/kg (Rabbit)	-
Symptoms related to the physical chemical and toxicological characteristics			

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects and also chronic effects from short and long term exposure

Sensitization

May cause sensitization of susceptible persons. May cause sensitization by skin contact. Repeated or prolonged contact may cause allergic reactions in very susceptible persons No information available.

Mutagenic Effects Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3		
D-Limonene		Group 3	-	-

ACGIH: (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC: (International Agency for Research on Cancer) Group 3: Not Classifiable as to its Carcinogenicity to Humans Reproductive Toxicity No information available.

STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration HazardMay be fatal if swallowed and enters airways

Numerical measures of toxicity - Product

Acute Toxicity	0.3545% of the mixture consists of ingredient(s) of unknown toxicity.
The following values are calculate	d based on chapter 3.1 of the GHS document:
LD50 Oral	915 mg/kg; Acute toxicity estimate
LD50 Dermal	2105 mg/kg; Acute toxicity estimate
Inhalation	
dust/mist	3 mg/L; Acute toxicity estimate
Vapor	22 mg/L; Acute toxicity estimate

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
2-Butoxyethanol		LC50 96 h: = 1490 mg/L		EC50 24 h: 1698 - 1940
111-76-2		static (Lepomis macrochirus)		mg/L (Daphnia magna)
		LC50 96 h: = 2950 mg/L		EC50 48 h: > 1000 mg/L
		(Lepomis macrochirus)		(Daphnia magna)
Petroleum distillates,		LC50 96 h: = 45 mg/L		LC50 96 h: = 4720 mg/L
hydrotreated light		flow-through (Pimephales		(Den-dronereides
64742-47-8		promelas) LC50 96 h: = 2.2		heteropoda)
		mg/L static (Lepomis		
		macrochirus) LC50 96 h: =		
		2.4 mg/L static		
		(Oncorhynchus mykiss)		
D-Limonene		LC50 96 h: 0.619 - 0.796		
5989-27-5		mg/L flow-through		
		(Pimephales promelas)		
		LC50 96 h: = 35 mg/L		
		(Oncorhynchus mykiss)		
Sodium dioctyl		LC50 96 h: 20 - 40 mg/L		EC50 48 h: = 36 mg/L
sulfosuccinate		semi-static (Oncorhynchus		(Daphnia magna)
577-11-7		mykiss) LC50 96 h: < 24		
		mg/L static (Oncorhynchus		
		mykiss) LC50 96 h: = 37		
		mg/L static (Lepomis		
		macrochirus)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow	
2-Butoxyethanol	0.81	

Other Adverse Effects

No information available.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with federal, state, and local regulations

Waste Disposal Methods

Contaminated Packaging

Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste	
D-Limonene	Toxic	

14. TRANSPORT INFORMATION

DOT

Not regulated

15. REGULATORY INFORMATION

International Inventories TSCA

Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
2-Butoxyethanol	111-76-2	30-60	1.0
SARA 311/312 Hazard Categories			
Acute Health Hazard	Yes		
Chronic Health Hazard	No		
Fire Hazard	Yes		
Sudden Release of Pressure Hazard	No		
Reactive Hazard	No		

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals: Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	CAS-No	California Prop. 65
Ethanol	64-17-5	Developmental

U.S. State Right-to-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
2-Butoxyethanol	Х	Х	Х	Х	Х
D-Limonene	Х			Х	
Ethanol	Х	Х	Х		

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION				
NFPA_	Health Hazard 2	Flammability 2	Instability 0	Physical and Chemical Hazards -
HMIS	Health Hazard 2	Flammability 2	Physical Hazard 0	Personal Protection X
Prepared By	23 British American Blvd. Latham, NY 12110			
Issuing Date Revision Date Revision Note	1-800-57 20-Oct-2 20-Oct-2 Initial Re	2014 2014		

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text. End of Safety Data Sheet